

|                | 1  | Medical List for Germany - Up  | To 20 Persons  |                            |                      |                    |
|----------------|--|--|--|----------------------------|----------------------|--------------------|
| Item<br>Number | Item Name  | Treatment Requirements   | Recommended Dosage   | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |
| 1.01           | Codeine phosphate, 30 mg, tablets                              | Medicine to treat urge to cough  | Medicine to treat urge to cough  | 20                         |                      |                    |
| 1.02           | Formoterol hemifumarat, dosage                                 | Medicine to treat asthma   | Medicine to treat asthma   | 1                          |                      |                    |
| 1.03           | aerodol Salbutamol sulphate, dosage aerosol                    | Medicine to treat asthma   | Medicine to treat asthma   | 2                          |                      |                    |
| 1.04           | Aminophyllin, 240 mg/10 ml,                                    | Medicine to treat asthma   | Medicine to treat asthma   | 5                          |                      |                    |
| 1.05           | ampoules, i.m.  Beclometasone, dosage aerosol, with            | Medicine to treat asthma and poisoning by  | Medicine to treat asthma and   | 1                          |                      |                    |
| 2.01           | inhalator, 200 throws Isosorbide dinitrate, 20 mg, retard      | inhalation  Medicine to enlarge the coronary vessels                                   | poisoning by inhalation  Medicine to enlarge the                                       | 50                         |                      |                    |
| 2.02           | tablets Glycerol trinitrate, spray                             | Medicine to enlarge the coronary vessels   | coronary vessels  Medicine to enlarge the  | 1                          |                      |                    |
| 2.03           | Nitrendipine, 10 mg, tablets                                   | Medicine to treat high blood pressure  | coronary vessels  Medicine to treat high blood   | 30                         |                      |                    |
|                | Metroprolol tartrate, 50 mg, tablets                           | Medicine to treat high blood pressure and  | pressure  Medicine to treat high blood   |                            |                      |                    |
| 2.04           | (not retarded)   | heart rhythm disturbances  | pressure and heart rhythm disturbances   | 30                         |                      |                    |
| 2.05           | Adrenaline, 1:1000, ampoules, i.m.                             | Medicine to increase blood pressure and treat shock                                    | Medicine to increase blood pressure and treat shock                                    | 10                         |                      |                    |
| 2.06           | Furosemide, 40 mg, tablets                                     | Medicine to stimulate urinary excretion  | Medicine to stimulate urinary excretion  | 20                         |                      |                    |
| 2.07           | Verapamil hydrochloride, 80 mg,<br>tablets                     | Medicine for heart rhythm disturbance (radio medical advice needed)                    | Medicine for heart rhythm disturbance (radio medical advice needed)                    | 40                         |                      |                    |
| 2.08           | Atropine, 0.5 mg, ampoules, i. m.                              | Medicine for heart rhythm disturbance  | Medicine for heart rhythm disturbance  | 10                         |                      |                    |
| 2.09           | Enoxaparine sodium, 40 mg, injection ampoules                  | Medicine to suppress blood coagulation   | Medicine to suppress blood coagulation   | 10                         |                      |                    |
| 3.01           | '  | Medicine to treat feeling of fullness, nausea and vomiting                             |  | 60                         |                      |                    |
| 3.02           | Metoclopramid hydrochlorid, 10 mg, ampoules, i.m.              | Medicine to treat feeling of fullness, nausea and vomiting                             | Medicine to treat feeling of fullness, nausea and vomiting                             | 10                         |                      |                    |
| 3.03           | Hydrotalcit, 500 mg, chewing tablets                           | Medicine to treat high gastric acidity, heart-<br>burn                                 | Medicine to treat high gastric acidity, heart-burn                                     | 160                        |                      |                    |
| 3.04           | Ranitidine hydrochloride, 150 mg, tablets                      | Medicine for stomach ulcers and reflux   | Medicine for stomach ulcers  | 60                         |                      |                    |
| 3.05           | Extract of chamomile, 30 ml                                    | Medicine for inflammation of mucous membranes of mouth and stomach                     | Medicine for inflammation of mucous membranes of mouth and stomach                     | 1                          |                      |                    |
| 3.06           | Loperamide hydrochloride, 2 mg, tablets                        | Medicine for diarrhoea and to calm the intestines                                      | Medicine for diarrhoea and to calm the intestines                                      | 50                         |                      |                    |
| 3.07           |  | Medicine to make good the liquid loss (e.g.  | Medicine to make good the liquid loss (e.g. continuing diarrhoea)                      | 50                         |                      |                    |
| 3.08           | Activated charcoal powder, 50 g, in mix receptacle             | Medicine to purge the bowels in poisoning by swallowing and poisoning-caused diarrhoea | Medicine to purge the bowels in poisoning by swallowing and poisoning-caused diarrhoea | 2                          |                      |                    |
| 3.09           | Sodium sulphate salt, 100 mg, crystalline                      | Medicine to purge the bowels in poisoning  | Medicine to purge the bowels in poisoning  | 1                          |                      |                    |
| 3.1            | Bisacodyl, 5 mg, tablets                                       | Medicine to purge the bowels   | Medicine to purge the bowels   | 60                         |                      |                    |
| 3.11           | Ointment, 15 g tube  | Medicine for haemorrhoids  | Medicine for haemorrhoids  | 1                          |                      |                    |
| 3.12           | Suppositories  | Medicine for haemorrhoids  | Medicine for haemorrhoids  | 10                         |                      |                    |
| 4.01           | Condome, with CE mark Cotrimoxazole, 960 mg, tablets           | Protection against  Medicine for urinary tracts infects                                | Protection against  Medicine for urinary tracts  | 5<br>60                    |                      |                    |
|                |  | ·  | infects Cathotor Jubricant   |                            |                      | -                  |
| 4.03<br>5.01   | Sterile gel, disposable  Acetylsalicylic acid, 500 mg, tablets | Catheter lubricant  Medicine to treat light pain and fever                             | Catheter lubricant  Medicine to treat light pain and fever                             | 80                         |                      |                    |
| 5.02           | Paracetamol, 500 mg, tablets                                   | Medicine to treat light pain and fever   | Medicine to treat light pain and fever   | 80                         |                      |                    |
| 5.03           | Diclofenac sodium, 50 g, jelly                                 | Ointment for pains   | Ointment for pains   | 2                          |                      |                    |
|                | , 0, , 1   | <u>'</u>   | · '  |                            | 1                    |                    |



| Medical List for Germany - Up To 20 Persons |  |   |  |                            |                      |                    |
|---|--|---|--|----------------------------|----------------------|--------------------|
| Item<br>Number                              | Item Name  | Treatment Requirements  | Recommended Dosage   | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |
| 5.04  | Diclofenac sodium, 50 mg, tablets, gastric juice resistant   | Medicine to treat joint and muscle pain   | Medicine to treat joint and muscle pain  | 40                         |                      |                    |
| 5.05  | Butylscopolaminium bromide, 20 mg, ampoules, i.m./s.c.   | Medicine to treat cramp-like pain   | Medicine to treat cramp-like pain  | 10                         |                      |                    |
| 5.06  | Tramadol hydrochloride, 50 mg, tablets   | Medicine to treat medium pain   | Medicine to treat medium pain  | 20                         |                      |                    |
| 5.07  | (S)-Ketamine hydrochloride, 25 mg/ml, injection ampoules, 10 ml, i.m.                                | Medicine to treat severe pain (radio medical advice needed)                                   | Medicine to treat severe pain (radio medical advice needed)                                  | 5                          |                      |                    |
| 5.08*                                       | Morphine hydrochloride, 10 mg, ampoules, i.m.  | Medicine to treat very severe pain  | Medicine to treat very severe pain   | 10                         |                      |                    |
| 5.09  | Lidocaine hydrochloride, 2 %, ampoules 5 ml, subcutaneous  | Medicine for local narcosis   | Medicine for local narcosis  | 10                         |                      |                    |
| 6.01  | Zolpidem, 5 mg, tablets  | Mild sleeping pill  | Mild sleeping pill   | 40                         |                      |                    |
| 6.02  | Diazepam, 5 mg, tablets  | Stronger sedative   | Stronger sedative  | 40                         |                      |                    |
| 6.03  | Diazepam, 10 mg, ampoules, i.m.  | Stronger, cramp- dissolving sedative  | Stronger, cramp- dissolving sedative   | 5                          |                      |                    |
| 6.04  | Haloperidol solution, 30 ml, drop<br>bottle  | Strong medicine for psychic states  | Strong medicine for psychic states   | 1                          |                      |                    |
| 6.05  | Biperiden hydrochlorid, 2 mg, tablets  | Medicine to combat side-effects of 6.04   | Medicine to combat side-<br>effects of 6.04  | 20                         |                      |                    |
| 7.01  | Dimenhydrinate, 50 mg, tablets   | Medicine for seasickness  | Medicine for seasickness   | 40                         |                      |                    |
| 7.02  | Dimenhydrinate, 150 mg, suppositories  | Medicine for seasickness  | Medicine for seasickness   | 20                         |                      |                    |
| 7.3   | Scopolamine, 1.5 mg, membrane plaster  | Medicine for seasickness (radio medical advice recommended because of possible side- effects) | Medicine for seasickness (radio medical advice recommended because of possible side-effects) | 5                          |                      |                    |
| 8.01  | Amoxicilline trihydrate, 500 mg, tablets   | Antibiotic with wide effect   | Antibiotic with wide effect  | 120                        |                      |                    |
| 8.02  | Doxycycline monohydrate, 100 mg, tablets   | Antibiotic with wide effect   | Antibiotic with wide effect  | 40                         |                      |                    |
| 8.03  | Clarithromycine, 500 mg, tablets   | Antibiotic with aimed effect and for penicillin allergy                                       | Antibiotic with aimed effect and for penicillin allergy                                      | 30                         |                      |                    |
| 8.04  | Ciprofloxacine hydrochloride, 500 mg, tablets  | Antibiotic with special effect  | Antibiotic with special effect   | 40                         |                      |                    |
| 9.01  | Mosquito repellent for external use, 1 pack per person   | Malaria prophylaxis   | Malaria prophylaxis  | max. 20                    |                      |                    |
| 9.02  | Atovaquone 250 mg, proguanil hydrochloride   | Malaria prophylaxis and treatment   | Malaria prophylaxis and treatment  | 24                         |                      |                    |
| 9.03  | Disposable blood lancet, sterile   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer  | 10                         |                      |                    |
| 9.04  | Microscope slides  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer  | 10                         |                      |                    |
| 9.05  | Container for microscope slides  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer  | 2                          |                      |                    |
| 10.01                                       | Loratadine, 10 mg, tablets   | Medicine for allergic reactions   | Medicine for allergic reactions  | 20                         |                      |                    |
| 10.02                                       | Clemastine, 2 mg, ampoules, i.m.   | Medicine for allergic reactions (radio medical advice recommended)                            | Medicine for allergic reactions (radio medical advice recommended)                           | 5                          |                      |                    |
| 10.03                                       | Prednisolone, 50 mg, tablets   | Stronger medicine for allergic reactions  | Stronger medicine for allergic reactions   | 10                         |                      |                    |
| 10.04                                       | Dexamethasone-21- dihydrogen phosphate, 100 mg, injection ready for use                              | Stronger medicine for allergic reactions (radio medical advice recommended)                   | Stronger medicine for allergic reactions (radio medical advice recommended)                  | 1                          |                      |                    |
| 10.05                                       | See 2.05   | Severely acting medicine for allergic reactions (radio medical advice needed)                 | Severely acting medicine for allergic reactions (radio medical advice needed)                | 10                         |                      |                    |
| 11.01                                       | Sodium chloride solution, isotone (0.9 %), 500 ml, plastic bottle                                    | Infusion to treat loss of liquid and blood (also suitable for eye-washing)                    | Infusion to treat loss of liquid and blood (also suitable for eyewashing)                    | 6                          |                      |                    |
| 11.02                                       | Hydroxy ethyl starch, 10 %,<br>200000/0.5, 500 ml, plastic bottle                                    | Infusion to treat shock and loss of blood   | Infusion to treat shock and loss of blood  | 2                          |                      |                    |
| 11.03                                       | Complete infusion set with permanent venous cannula, sterile wrapped individually, diam. 1.2 ?1.3 mm | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer  | 3                          |                      |                    |



| Medical List for Germany - Up To 20 Persons |  |  |  |                            |                      |                    |
|---|--|--|--|----------------------------|----------------------|--------------------|
| Item<br>Number                              | Item Name  | Treatment Requirements   | Recommended Dosage   | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |
| 12.01                                       | Tetanustoxoid adsorbed ampoule as individual dosage                    | Tetanus prophylaxis (keep in refrigerator at +2 to +8 ?C)                            | Tetanus prophylaxis (keep in refrigerator at +2 to +8 ?C)                            | 2                          |                      |                    |
| 12.02                                       | Tetanus immune human globuline, at least 250 units                     | Tetanus prophylaxis (keep in refrigerator at +2 to +8 ?C)                            | Tetanus prophylaxis (keep in refrigerator at +2 to +8 ?C)                            | 2                          |                      |                    |
| 13.01                                       | Methyl ergometrine hydrogen maleate, 0.2 mg, tablets                   | Medicine for bleeding from the uterus  | Medicine for bleeding from the uterus  | 20                         |                      |                    |
| 13.02                                       | Methyl ergometrine hydrogen maleate, 0.2 mg, ampoules, i. m.           | Medicine for bleeding from the uterus (keep in refrigerator at +2 to +8 ?C)          | Medicine for bleeding from the uterus (keep in refrigerator at +2 to +8 ?C)          | 5                          |                      |                    |
| 14.01                                       | Indifferent ointment, pH 5, 50 g                                       | Skin protection  | Skin protection  | 3                          |                      |                    |
| 14.02                                       | Hydrocortisone, 1 %, 50 g, cream                                       | Medicine to treat itching, sunburn and insect bites                                  | Medicine to treat itching, sunburn and insect bites                                  | 3                          |                      |                    |
| 14.03                                       | Triamcinolone, 20 g, cream   | Stronger acting medicine for itching, sunburn, insect bites and eczemas              | Stronger acting medicine for itching, sunburn, insect bites and eczemas              | 2                          |                      |                    |
| 14.07                                       | Cotrimazole, 20 g, cream   | Medicine for skin fungus and foot fungus diseases                                    | Medicine for skin fungus and foot fungus diseases                                    | 4                          |                      |                    |
| 14.08                                       | Aciclovir, 400 mg, tablets   | Medicine for severe herpes infections of skin and mucous membranes and herpes zoster | Medicine for severe herpes infections of skin and mucous membranes and herpes zoster | 35                         |                      |                    |
| 14.09                                       | Lindan, 100 ml, emulsion   | Medicine to combat parasites (also effective for scabies)                            | Medicine to combat parasites (also effective for scabies)                            | 1                          |                      |                    |
| 14.1  | Povidone iodine, 30 ml, solution                                       | Medicine to disinfect skin and wounds and before injections                          | Medicine to disinfect skin and wounds and before injections                          | 4                          |                      |                    |
| 14.11                                       | Povidone iodine, 25 g, ointment  | Medicine to treat burns  | Medicine to treat burns  | 8                          |                      |                    |
| 15.01                                       | Oxybuprocaine hydrochloride, 20 single dosages, eye drops              | Medicine to relieve pain of the eye  | Medicine to relieve pain of the eye  | 1                          |                      |                    |
| 15.02                                       | Gentamicine sulphate, 5 ml, eye drops                                  | Medicine to treat bacterial infections of the eye                                    | Medicine to treat bacterial infections of the eye                                    | 1                          |                      |                    |
| 15.03                                       | Gentamicine sulphate, 2.5 g, eye ointment                              | Medicine to treat bacterial infections of the eye                                    | Medicine to treat bacterial infections of the eye                                    | 2                          |                      |                    |
| 15.04                                       | Aciclovir, 4.5 g, eye ointment   | Medicine for herpes infection of the eye   | Medicine for herpes infection of the eye   | 1                          |                      |                    |
| 15.05                                       | Pilocarpine, 1 %, 5 ml, eye drops                                      | Medicine for increased eye pressure (radio medical advice needed)                    | Medicine for increased eye pressure (radio medical advice needed)                    | 1                          |                      |                    |
| 15.07                                       | Eye wash bottle, break-proof   | As directed by Doctor or Medical Officer   | As directed by Doctor or<br>Medical Officer  | 1                          |                      |                    |
| 15.08                                       | Eye loop for removal of foreign body                                   | As directed by Doctor or Medical Officer   | As directed by Doctor or<br>Medical Officer  | 1                          |                      |                    |
| 15.09                                       | Eye compress, sterile, individually wrapped, 5.5 cm x 7.5 cm           | As directed by Doctor or Medical Officer   | As directed by Doctor or<br>Medical Officer  | 5                          |                      |                    |
| 15.1  | Eye shade with ribbon, individually wrapped                            | As directed by Doctor or Medical Officer   | As directed by Doctor or<br>Medical Officer  | 2                          |                      |                    |
| 16.01                                       | Antibiotic combination with corticosteroid, 5 ml, ear drops            | Medicine for infections and pain of the outer auditory canal                         | Medicine for infections and pain of the outer auditory canal                         | 1                          |                      |                    |
| 16.02                                       | Ear syringe, rubber, 75 ml   | As directed by Doctor or Medical Officer   | As directed by Doctor or<br>Medical Officer  | 1                          |                      |                    |
| 16.03                                       | Oxy- or xylometazoline hydrochloride,<br>0.1 %, single dosage pipettes | Medicine to shrink the swollen nasal mucous membrane                                 | Medicine to shrink the swollen nasal mucous membrane                                 | 40                         |                      |                    |
| 16.04                                       | Chlorhexidine digluconate, 2 %, 50 ml, solution                        | Medicine to disinfect mouth and pharynx  | Medicine to disinfect mouth and pharynx  | 2                          |                      |                    |
| 16.05                                       | Ambroxol hydochloride, 20 mg,<br>lozenges                              | Medicine to treat pain in mouth and pharynx  | Medicine to treat pain in mouth and pharynx  | 40                         |                      |                    |
| 17.01                                       | Eugenol, 10 ml, drops  | Medicine for local treatment of toothache  | Medicine for local treatment of toothache  | 1                          |                      |                    |
| 17.02                                       | Self-hardening tooth filling (medium hardness)                         | Provisional closure of a tooth   | Provisional closure of a tooth   | 1                          |                      |                    |
| 17.03                                       | Triamcinolone, demeclocycline, 5 g, paste                              | Medicine to protect pulpa  | Medicine to protect pulpa  | 1                          |                      |                    |
| 17.04                                       | Prednisolone acetate, 25 mg, 5 g, ointment                             | Medicine for inflamed gums   | Medicine for inflamed gums   | 1                          |                      |                    |
|   | TO IT                              |  |  |                            | -                    |                    |



|                | Medical List for Germany - Up To 20 Persons   |  |   |                            |                      |                    |  |
|----------------|---|--|---|----------------------------|----------------------|--------------------|--|
| Item<br>Number | Item Name   | Treatment Requirements                   | Recommended Dosage                          | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |  |
| 17.06          | Dental mirror, medium size  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 17.07          | Dental tweezers   | As directed by Doctor or Medical Officer | As directed by Doctor or Medical Officer    | 1                          |                      |                    |  |
| 17.08          | Dental probe  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 17.09          | Dental spatula, double-ended  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 17.1           | Dental ball-pointed probe   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 17.11          | Excavator, double-ended   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 17.12          | Universal dental forceps  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 18.01          | 250 ml, dispenser   | Disinfection of skin and hands           | Disinfection of skin and hands              | 1                          |                      |                    |  |
| 18.02          | 250 ml  | Disinfectant for instruments             | Disinfectant for instruments                | 1                          |                      |                    |  |
|                |   | Disinfectant for areas, objects and      | Disinfectant for areas, objects             |                            |                      |                    |  |
| 18.03          | 1,000 ml, concentrated  | excretions                               | and excretions                              | 1                          |                      |                    |  |
| 18.04          | 1,000 ml, spray bottle  | Insecticide spray                        | Insecticide spray                           | 1                          |                      |                    |  |
| 19.01          | Gauze compress, 2 pcs, sterile,   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 50                         |                      |                    |  |
| 19.02          | Ointment gauze dressing, ready for use, without biocatalyst, individually wrapped, sterile, ca. 10 cm x 10 cm | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 10                         |                      |                    |  |
| 19.03          | Gauze dressing, 10 cm/1 m   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 19.04          | Gauze bandage, 6 cm/4 m, with tight edges, elastic, individually wrapped                                      | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |  |
| 19.05          | The same 10 cm/4m   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |  |
| 19.06          | Durable cotton stretch bandage with clip, 8 cm/ca. 5 m, individually wrapped                                  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 3                          |                      |                    |  |
| 19.07          | The same, 10 cm/ca. 5 m   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 19.08          | Tubular bandage, 4 m, stretchable, for finger   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 19.09          | The same for extremities  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 19.1           | The same for head   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 19.11          | Metalline compress, 10 cm x 12 cm, sterile, individually wrapped  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 20                         |                      |                    |  |
| 19.12          | Metalline sheet, 60 cm x 80 cm, sterile, individually wrapped   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |  |
| 19.13          | Thermo-isolation foil   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
| 19.14          | First-aid dressing, 8 cm x 10 cm, sterile   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |  |
| 19.15          | Elastic adhesive bandage with acryl, 8 cm/2.5 m   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |  |
| 19.16          |   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 4                          |                      |                    |  |
| 19.17          | Adhesive plaster, hypo-allergic, 2.5 cm/5 m   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 4                          |                      |                    |  |
| 19.18          | Plaster, hypo-allergic, in carton, 6 cm/1 m   | As directed by Doctor or Medical Officer | As directed by Doctor or Medical Officer    | 3                          |                      |                    |  |
| 19.19          | Plaster strips, ready for use, (a. o. fingertip and finger dressing) in container, water-proof                | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 50                         |                      |                    |  |
| 19.2           | Wound closure plaster strips, sterile,<br>6 mm x 100 mm, 10 pcs   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |  |
|                | , , , , , , ,   |  | As directed by Doctor or                    |                            |                      |                    |  |
| 19.21          | Leather fingerstall, sizes IV-VI  | As directed by Doctor or Medical Officer | Medical Officer                             | each 2                     |                      |                    |  |



| Item<br>Number | Item Name   | Treatment Requirements                   | Recommended Dosage                          | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |
|----------------|---|--|---|----------------------------|----------------------|--------------------|
|                | a) for finger   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
|                | b) for arm  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
|                | c) for leg  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
| 19.25          | Safety pins, rust free, 12 pcs.,<br>wrapped   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |
| 20.02          | Hot water bottle, rubber, 2 l   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 20.03          | Cold/hot compress, a) ca. 20 cm x 10 cm   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
|                | b) ca. 20 cm x 40 cm  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
| 20.04          | Applicators, cotton-tipped, sterile, ca.  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 20                         |                      |                    |
| 20.05          | 15 cm, 2 pcs.  Feeding cup, break-proof   | As directed by Doctor or Medical Officer | As directed by Doctor or                    | 1                          |                      |                    |
| 20.06          | Bed-pan with lid and handle, ca. 31   | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 20.07          | cm diameter Urinal, male, plastic with lid, graded  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 20.08          |   | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 20.00          | Disposable catheter, type Tieman,   | As directed by Doctor of Medical Officer | Medical Officer                             | 1                          |                      |                    |
| 20.09          | sterile, individually packed, Charri?e,<br>12 and 16  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | each 2                     |                      |                    |
| 20.1           | Urine bag, at least 1.5 l, with sliding clamp, single, sterile, with 100 cm transmission pipe | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
| 20.11          | Needle for bladder puncture, 0,90 mm x 70 mm, 20 G  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |
| 20.12          | Dispensing envelopes  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 20                         |                      |                    |
| 20.13          | Kidney dish, disposable, 24 cm  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 10                         |                      |                    |
| 21.02          | Disposable needle, sterile, single, sizes 1, 2 and 12   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | each 15                    |                      |                    |
| 21.03          | Swab for skin disinfection, sterile, 100  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 21.04          | Disposable scalpel, convex blade, ca.   | As directed by Doctor or Medical Officer | As directed by Doctor or                    | 2                          |                      |                    |
| 21.05          | 16 cm, sterile  Disposable scalpel, pointed blade, ca.  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 2                          |                      |                    |
| 21.06          | 16 cm, sterile<br>Nail brush  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 21.07          | Nail cleaner  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 21.08          | Disposable razor  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 3                          |                      |                    |
| 21.09          | Bandage scissors, Lister, 18 cm   | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
|                |   | <u> </u>                                 | Medical Officer As directed by Doctor or    |                            |                      |                    |
| 21.1           | Scissors, type cooper, 14.5 cm Scissors, pointed/blunt, straight, 14.5                        | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 21.11          | cm  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 21.12          | Anatomical tweezers, 14.5 cm  | As directed by Doctor or Medical Officer | Medical Officer As directed by Doctor or    | 1                          |                      |                    |
| 21.13          | Surgical tweezers, 14.5 cm  | As directed by Doctor or Medical Officer | Medical Officer  As directed by Doctor or   | 2                          |                      |                    |
| 21.14          | Splinter tweezers, type   | As directed by Doctor or Medical Officer | Medical Officer                             | 1                          |                      |                    |
| 21.15          | Magnifying glass, triple zoom at least, diameter 75 mm  | As directed by Doctor or Medical Officer | As directed by Doctor or  Medical Officer   | 1                          |                      |                    |
| 21.16          | Artery forceps type Kocher, straight,<br>14.5 cm  | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 4                          |                      |                    |
| 21.17          | Needle holder type Mathieu, 14.5 cm   | As directed by Doctor or Medical Officer | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |



| Item<br>Number | Item Name  | Treatment Requirements                    | Recommended Dosage                          | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |
|----------------|--|---|---|----------------------------|----------------------|--------------------|
| 21.18          | Instrument case with cover for disinfection and storage  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 5                          |                      |                    |
|                | a) size 7.5  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 3 pair                     |                      |                    |
|                | a) size 8.5  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 3 pair                     |                      |                    |
| 21.21          | Disposable gloves, non-sterile, powderfree, large, 100 pcs   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 21.22          | Disposable fenestrated drape sheet, adhesive, ca.  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 3                          |                      |                    |
|                | 75 cm x 90 cm, variable hole size, sterile, single packed  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 2                          |                      |                    |
| 22.01          | Tongue depressors, wrapped, 100 pcs.   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 22.02          | Thermometer, digital, range 32 -43 ?C  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 22.03          | Hypothermic thermometer, 26 ?42 ?, in protective case  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 22.04          | ·  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 30                         |                      |                    |
| 22.05          | Urine test strips for sugar, protein and blood   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1 Orig. pck.               |                      |                    |
| 22.06          | Test set for cardiac infarct (troponin L   | (Keep in refrigerator at +2 to +8 ?C)     | (Keep in refrigerator at +2 to +8 ?C)       | 1                          |                      |                    |
| 22.07          | Stethoscope  |   | 10)   | 1                          |                      |                    |
| 22.08          | Oszillometric sphygmomanometer for measurements at the upper arm   | Watch out for gauging deadlines!          | Watch out for gauging deadlines!            |                            |                      |                    |
| 23.01          | Equipment for oxygen treatment, e.g. MFAG  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 23.01          | No. 27.29 and No. 27.31 a), b), c), O2 bottles filled with medical oxygen  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer |                            |                      |                    |
| 23.02          | Portable oxygen set, ready for use, 2 I/200 bar, including portable oxygen reserve bottle, 2 I/200 bar and 5 disposable respirator mask acc. to MFAG | When there is no dangerous cargo on board | When there is no dangerous cargo on board   |                            |                      |                    |
| 23.03          | Mouthpiece for mouth-to-mouth respiration  | Nos. 23.03 to 23.08 in emergency case     | Nos. 23.03 to 23.08 in emergency case       | 1                          |                      |                    |
| 23.04          | Guedel tube, sizes 3, 4, 5   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1 each                     |                      |                    |
| 23.05          | Wendl tube, sizes 28 and 32  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 2 each                     |                      |                    |
| 23.06          | Resuscitator bag with oxygen reservoir   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 23.07          | Masks for resuscitator bag, sizes 4, 5   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1 each                     |                      |                    |
| 23.08          | Suction apparatus, hand operated   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 23.09          | Tourniquet   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 23.1           | Shroud, plastic  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer |                            |                      |                    |
| 24.01          | "German Medical Guide for Ships"   | The latest editions                       | The latest editions                         | 1                          |                      |                    |
| 24.02          | Patients' register   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 24.03          |  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 24.04          | Form sheet block for courses of disease and treatment  | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 24.05          | Form sheet block   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 24.06          | See-BG Malaria leaflet   | As directed by Doctor or Medical Officer  | As directed by Doctor or<br>Medical Officer | 1                          |                      |                    |
| 24.07          | See-BG leaflet "Conduct when   | As directed by Doctor or Medical Officer  | As directed by Doctor or                    | 1                          |                      |                    |



|                | Medical List for Germany - Up To 20 Persons   |   |   |                            |                      |                    |  |  |  |
|----------------|---|---|---|----------------------------|----------------------|--------------------|--|--|--|
| Item<br>Number | Item Name   | Treatment Requirements                    | Recommended Dosage  | Minimum<br>Qty<br>Required | On Board<br>Quantity | Order<br>Quantitiy |  |  |  |
| 24.08          | Medical First Aid Guide (MFAG) for use in accidents involving dangerous goods   | , ,                                       | In lists C 1 and C 2 only when dangerous cargo is carried | 1                          |                      |                    |  |  |  |
| 25.01          | Crane usable rescue stretcher with integrated vacuum mattress (and vacuum pump), belts, weather protection and instructions for use | Has to be permitted by See-BG             | Has to be permitted by See-BG                             | 1                          |                      |                    |  |  |  |
| 25.02          | Semi-automatic defibrillator with ECG indication and ECG transmission means to the German radio medical advice                      | Training and maintenance regulations have | Training and maintenance regulations have to be obeyed    | 1                          |                      |                    |  |  |  |

Phone /Fax: +90 212 534 60 54 Email: info@say-med.com