



pad

electronic

Scales, adult, weighing,

<u>clinical capacity 150 kg.</u>

Sphygmomanometer,

1

1

2

..

..

1

1

22.

23.

24

..

1

1

..

1

Instrument

blood pressure

taking



			MEDIC	CAL STORES	AND APPLIANCES			
25.	Splints, inflatable, arm, for above/below elbow, assorted sizes 6 S			1	1			
·6.	Splints, finger, aluminium, padded, assorted sizes 6s.	2		1	1			
7.	Splints, inflatable, leg for above/below knee assorted sizes 6s.			1	1			
28.	Sterilizer, steam pressure type for dressing and instruments			1	1		Should be of a type with a drying phase.	
9.	Steriliser, water type-3 litre capacity, electric (chamber approximately 28 X 14 X 10 cm)	1		1	1		Preferably with automatic cut-off, when there is insufficient water.	
30.	Stethoscope, disc-	2		1	1	1	water.	
31.	diaphragm type Thermometer, bath	2		1	11	1		
32.	Tray, with cover, for sterilization of small instruments			1	1		To be a component of the sterilizer : must fit inside sterilizer compartme nt.	
33	Urinal, male	2		1	1			
34.	Receiptacle, with pedal- operated lid 12 litre capacity.			1	1			
				INSTRUI				
Item No.		(a)	2) (b)	(a)	(3) (b)	(4)	Remarks	Order Quantity
1	Airway Pharynageal plastic adult and child sizes (Disposable)	2		1	1	1		
	Blades surgical knife detachable small tang, sterile (a) No.10	1						
2	(b) No.15	1	1					
		1	1					
3	Forceps dressing bayonet shaped, adson I 8 cm.	1	1	1	1			
4	Forceps, haemostat, straight spencer wells 2 15 cm.	2		1	1			
5	Forceps, haernostat, curved, Haistead mosquito 2 15 cm.	2						
6	Forceps, hemostat, curved Kelly, I 5 cm.	2						
7	Forceps, splinterm tweezers 10 cm.	1		1	1			
	Forceps, tissue. 2-3-dents	1		1	1			
8	(a)13 cm.	1		1	1			
	(a) 13 cm.							
	(b) 18cm.	1		1	1		For	





			MEDIC	CAL STORES	AND APPLIANCES			
10	Scissors, bandage, lister, angular, one point, sharp One point blunt, 20 cm.			1	1			
11	Scissors, surgical straight, 15 cm.	2		1	1			
12	Hammer, reflex-testing, 20 cm	1		1	1			
13	Needle-holder, suture, Hegar-mayo 14 cm	2		1	1		For suturing wounds.	
				BANDAGES				
Item No.		(a)	2) (b)	(a)	(3)	(4)	Remarks	Order Quanti
	Adhesive tape, surgical	(37)						
I	(a) 5cm x 5 M rolls	6		2	2			
	(b) 2cm x 5Mroils Administration set,	6		2	2		Procure	
2.	intravenous, with butterfly hub needle	5	2	3	2	-	from the manufacture r that	
	I mmx 40mm, sterile disposable						supplies the intravenous	
3	Applicators, wood cotton- tipped ends, sterile 2 mm x 15 mm	200	150	100	50	-		
	Bandage, cotton, elastic, rubberless. (a) 10 cm X 5m roll (b) 8 cm X 5 m		-	-	-	-		
l.	roll (c) 5 cm X 5m roll	12 12	4	8	4	-		
		12	4	12	6	_		
5.	Bandage, gauze, roller sterile 3cm X10 m two- ply, clinging, 2 safety-	12	4	12	6	-	elastic gauze bandage	
	pins. Bandage, gauze, roller sterile (a) 10 cm by 5						Individually	
5.	(a) 10 cm by 0 m (b) 12 cm by 5 m	60	10	30	30	-	wrapped	
		40	10	20	10	-	Individually wrapped	
7.	Bandage, absorbant, adhesive, 5 cm X 5 m	200	100	50	25	-	Absorbant bandage with adhesive	
	Casualty dressing, adhesive, individually wrapped, sterile (a) 9 cm X 6						220110	
3.	cm (b) 18cm X 9 cm	30	15	15	10	-		
		20	10	10	5	-		
).	Bandage, muslin, triangular, folded, with 2 safety-pins 90 X 130 cm.	4	1	2	1	-		
10	Tube-gauze-type bandage for finger.	10	2	4	2	-		
11.	Spray dressing,120 ml	8	2	2	1	-		
12.	individually packed sterile.	20	15	10	5	-		
	First aid emergency dressing (pad with 30 cm open swave gauze tail, sterile) (a) small size							





			IVIEDIC	LAL STURES A	AND APPLIANCES	_	
13.	SIZE	10	10	5	5	-	
	(c) large size	20	10	10	10	-	
		20	10	10	5	_	
	Bottle, vial, amber, 50 ml. glass or plastic for capsule or tablets	50	30	20	10	-	Self –sticking lebels
14.	Blood lancets, sterile						should procured kept w these
	Catheter, double-eye, pointed. Robinson sterile, disposable,	-	-	-	-	10	hottles
	(a) 6 French (2 mm)	2	_	1	1	-	
	(b) 8 French (3 mm)	2	_	1	1	-	(for urina catheteriza on)
15.	(c) 12 French (4 mm)						(6 Frence and French catheters, can be use or
	(d) 14 French (5 mm)	2	-	-	-	-	pharymeal suction)
	(e) 16 French (5.5 mm)	2	-	-	-	-	
16.	Catheterization tray, sterile. Disposable regular type: 14 French straight catheter sterile g oves, small forceps cotton ball lubricant, antiseptic solution, underpaid and drops, specimen container, and label	3	-	1	1	-	
7. 8.	Clinical record chart Temperature/pulse chart	40	20	-		- -	
9.	Medical report form for	100	50	_	_	_	
20.	seafarers. Collar, cervical, with trap	1	1	1	1	-	
21.	Clinical record chart pad	1	1	1	1	-	
22.	Cotton, absorbent (a) 50 g roll (b) 200 g roll	20	10	5	3	-	
	Cotton absorbent sterile	10	5	5	3	-	
23.	100g Finger cots, rubber,	3	1	1	1 -	1	
24.	asserted sizes Flashlight (penlight type)		-	6	6	-	
25	with replacement batteries 2 sets each	2	-	1	1	-	
26	Gauze bandage, tubular, 2 cm by 5cm rolled with applicator	5	-	1	1	-	Covering bandage finger a toes.
27	Gloves, surgical, sterile, disposable large size (7-1/2 or 8), (pairs)		-	4	2	-	





			MEDIC	CAL STORES	AND APPLIANCES		
29	Medicine cup waxed paper. or plastic 30 ml		-	50	50	-	
20	graduated, disposable.	100	20	50	50		
30 31	Mask, face disposable Microscope slide	100	-	20	20	-	
	Mortuary transfer bag,		4				
32	leak- 2 proof.	2	1	1	1	-	Nasallas ta
33	Needle, hypodermic, 0.5 mmx 36 16 mm sterile		18	12	6	-	Needles to fit into the type of syringes carried on
34	Needle intravenous injection I mm, 5cm	18	12	6	6	-	board.
35	Need intravenous injection 1.1mm, 3cm		9	6	6	-	
36	Occult blood detection tablet, with 60 filter papers.		40	50	25	-	For detection of occult blood in farces or Sputum follow Instruction for use given by the manufacture r
37	Pad, abdominal, sterile combined 6 dressing gauze, 20cm x 20cm individually sealed.	6	4	3	2	-	
38	Pad cotton eye sterile, Individually sealed.	12	6	12	12	-	
39	Pad, non-adherent sterile dressing non-woven cotton and rayon fabric	100	50	40	20	-	dry dressing material for Wounds
40	Safety-pin rustless	100	-	40	20	_	Assorted
41	(Brass 100 coated) Scrubbing-brush, hand	3		2	2		sizes
41	Self stitching labels	3		2	2		
42	(a) 1"x I" (b) 1"x 2"	300 300		100 100	50 50	- -	
	(c) 2"x 3"	500	-	100	50	-	
43	Sheath rubber (condom)	1000	250	200	100	-	
	5s (NIRODH) Sheet, waterproof,			1.	l .		
44	110cm x 180 cm	2	-	1	1	-	
45	Skin closure, adhesive surgical 50 sterile (butterfly closure) 6mm.		-	25	25	-	to close wounds in place of sutures when feasible.
46	Skin closure adhesive suturless 10 sterile 10cm x 8cm.	10	-	3	3	-	
47	Suture, tapered, 1/2 circle non- traumatic needle, 28mm, absorbable non-boilable 70 cm long size 00, sterile, individually sealed	12	-	3	3	-	
48.	Suture, armed ½ circle, 25 mm non-traumatic needle, non-absorbable, silk, braided 45 cm long size 000, sterile individually scaled	24	-	6	3	-	
49.	Suture armed 3/8 circle, 20mm needle, size 000 sterile absorbable, individually sealed.						





M. T.			MEDIC	AL STORES	AND ADDITANCES		
			MEDIC	CAL STORES A	AND APPLIANCES		
50	Suture, armed non- absorbable polyster 3/8 circle, 13mm needles with non-traumatic, point size 5.0 sterile sealed.	12	6	3	1	-	
51.	Suture removable, containing suture-removing forceps, sterile, and suture removal scissors, sterile.	12	-	1	1	-	
	Syringe glass (a) 2ml.	6	-	2	1	-	Injection needles should fit the type of syringes carried glass
52.	(b) 5ml.						Syringes. May be used when disposable syringes are not available
	(c) 20 ml.	2		-	1	-	
	Syringes, plastic	2	-	1	1	-	
53.	disposable Sterile individually sealed with injection needle: (a) 2ml with hypodermic needle ½ mm 16 mm (b) 2ml with intramuscularly, needle 1 mm, 5 cm. (c) 5ml, with intramuscular needle 1 mm 5 cm (d) 20 ml & IV needle 1 mm, 5 cm	75 75	25 25 -	10	10 10	2	
54.	Test strip and colour chart. Combined sugar (urinary, blood glucose, ketone, protein, bilirubin and PH) strips	100	50	50	50	-	
55	Test tablets, kit, glucose reducing sugar in urine, individually sealed.		50	25	25	10	
56.	Tissues, facial Boxes	6	4	3	1	-	
57	Thermometer clinical fever		-	4	4	-	
58.	Tourniquets, non- pneumatic, blood taking type, composed, of gum	4	2	2	2	-	
50.	rubber with electrotype fastener. Tongue- depressor						





	MEDICAL STORES AND APPLIANCES									
60	Towels, paper, sterile disposable individually wrapped		-	15	5	-				
61	Towels, surgical cotton	25	-	15	5	-				
62	Wrapping material, cotton	15	10	5	5	-				
				DICINIEE	TANTC					

62	Wrapping material, cotton	15	10	5	5	-					
	DISINFECTANTS										
Item No.	1	(2	2)		(3)	(4)	Remarks	Order Quantity			
item No.		(a)	(b)	(a)	(b)	(4)	Remarks	Order Quantity			
1	Chlorinated lime, 2 Use: As a disinfectant and deodorant for ceases, urine, glass and earthenware (Not for disinfecting metal instruments or rubbers articles). It is sprinkled liberally over the substances to be disinfected., mixed thoroughly (if indicated) by stirring with a wooden tongue depressor or suitable implements, and allowed to stand for atleast 1 hour. A small amount of water may be added to facilitate mixing, if necessary. Caution: Open container Cautiously, away from face and eyes. Replaced immediately after use to prevent loss of chlorine, chlorinated lime. loses such or its activity, even with careful storage, in year) Keep separate from internal medicines,		-	10	10						
2	High test calcium hypochlorite, I -liter, in granular form. containing about 70% available chlorine. Use: (1) For disintecting water and(2) for the disinfections of smooth hard surfaced objects in the dietary area, and cutlery. For this purpose a solution with 100 parts per million available chlorine should be used (take 1.5g of granuales of calcium hypochlo rite io 10 liters of water) Caution: Same as for chlorinated lime Note— 70 g of high-test calcium hypochlorite will is infect 100 liters (1 tome) of p0- table water.	15	5	5	5		Keep separate from internal				

Phone /Fax : +90 212 534 60 54 Email : info@say-med.com



Mus	Liv							
			MEDIC	CAL STORES	AND APPLIANCES		_	
3	ml of the solution in 10 liters. Of potable water. Caution: Keep separate from internal medicines. Label the bottles ('DISINFECTANT")	10	10	5	5	-		
4.	Aquous phenolic 30 solution 1- litre Use: as a disinfectant for smooth hard surfaced objects in non-dietary area: walls floors etc. Before use, dilute with water 1:10 to obtain the 3% solution used for disinfections. Caution: open bottlies cautiously away from eyes and face. Avoid contamination of skin. Pjenol is a highly toxic substance. Keep separate from internal medicines. Label the bottles 'POISON"	4	2	2	1	-		

Phone /Fax: +90 212 534 60 54 Email: info@say-med.com